

# **Interior Doors**Molded & Flush Features

Door Styles | Sticking Profiles | Surfaces | Core Choices



# **IMAGINATION WELCOME**

CHOOSE THE PERFECT FINISH AND LET US DO THE WORK.



### WOODVIEW FINISH OPTIONS

(Available on select molded doors)

Enjoy the look of real wood with our premium finishing process. The illusion of real wood emanates through the rich two tone color process that makes each door unique and visually stunning.











Amaretto

## STATEMENT COLOR OPTIONS

(Available on select molded doors)

Style meets substance in five cutting edge and unique finishes. Each design goes through a multi coat process to ensure a smooth richness and depth you won't find anywhere else.









Juniper



Black Cherry

PAINT COLORS (Available on all molded doors)

Our precise meticulous process ensures exceptional quality and saves you valuable time and money.











Graphite



Granite



Slate























Chestnut

























Blue





Persimmon



Variances in photography and printing may cause the finish colors shown to vary from the actual finishes.

# **DOOR STYLES**

### Smooth Surface - Flat Panel



Madison® Smooth Craftsman Sticking 6'8", 7'0" & 8'0"



Monroe™ Smooth Craftsman Sticking 6'8", 7'0" & 8'0"



Birkdale® Smooth Craftsman Sticking 6'8", 7'0" & 8'0"



Craftsman III™ Smooth Craftsman Sticking 6'8" & 7'0"



Conmore® Smooth Stepped Sticking 6'8" & 7'0"

### Smooth Surface - Raised Panel



Colonist® Smooth Cove & Bead Sticking 6'8", 7'0" & 8'0"



Rockport® Smooth Cove & Bead Sticking 6'8", 7'0" 8 8'0"



Santa Fe® Smooth Ovolo Sticking 6'8", 7'0" 8 8'0"



Carrara® Smooth Cove & Bead Sticking 6'8", 7'0" & 8'0"



Caiman® Smooth Cove & Bead Sticking 6'8", 7'0" & 8'0"

# Woodgrain Surface -Raised Panel



Colonist® Textured Cove & Bead Sticking 6'8", 7'0" & 8'0"



Camden® Textured Cove & Bead Sticking 6'8" & 7'0"

### **Studio Collection**







SL130 ★ 6'8" & 7'0"

\*All designs available in bi-fold configurations.

\* Not available as double door units.







JELD-WEN molded doors and door skins are certified by Scientific Certification Systems (SCS) for up to 65% recycled content.\*

\*Please note that recycled content percentage refers to the door slab and facing. It does not include the door frame and/or frame component.

# **DOOR STYLES & FEATURES**

# Light Commercial Wide-Stile Doors

These doors accommodate commercial-grade hardware and many types of locking systems. Because of their solid core construction, they also provide remarkable sound reduction for privacy where commercial projects demand it.

Available special order.



Colonist® Smooth Wide Stile Cove & Bead Sticking 6'8", 7'0"

# Sticking Profiles -

Whether traditional or contemporary, JELD-WEN has sticking profile options that will distinguish the interior of your home with beautiful quality and attention-to-design detail.







Stepped Sticking



Ovolo Sticking



Cove & Bead Sticking

### Surface Textures -



Smooth
Smooth surface doors give your
home a clean, streamlined feeling.
They feature the classic look of
painted wood doors.



Woodgrain
JELD-WEN® interior doors with
textured surfaces emulate the look
of solid wood doors. Each one has
a deep, woodgrain appearance.

#### Molded Door Construction Choices



ProCore Solid Core —
Combination Wood/MDF
or All-Wood Frame
1-3/8" Door
1-3/4" Door
20-Minute Fire rating
available up to 3'0" x 8'0"

PROCORE
THE DULET DOOR"



Solid Mineral Core — All-Wood Frame 1-3/4" Door 45- or 60-Minute Fire ratings available up to 3'0" x 8'0"



Hollow Core — Wood/MDF Frame 1-3/8" Door Blocking behind panels for support



# ProCore The Quiet Door® —

Give each room in your home the privacy it deserves with our ProCore The Quiet Door® upgrade. This option reduces sound transmission between interior spaces by up to 50 percent (when compared to a flush hollow core door). So you'll enjoy more peace and quiet. Plus, it resists the dents and dings that can occur in everyday life.



# FLUSH INTERIOR DOOR FEATURES

Our Flush interior doors are available in a wide range of wood grains. The veneer samples shown below represent only a small offering of the many prefinished embossed and smooth medium density fiberboard colors and unfinished hardwood veneer species we offer.

All Flush interior doors are available with ProCore The Quiet Door® construction for superior sound control.

### **Unfinished Hardwood Veneer**

Offered in several additional species







Prefinished Embossed Hardboard

### **Prefinished Smooth Hardboard**







Primed

Imperial Oak

Variances in photography and printing may cause the finish colors shown to vary from the actual finishes.

### Flush Door Construction Choices\*



ProCore Solid Core — Wood or MDF Frame 1-3/8" Door 1-3/4" Door 20-Minute Fire rating available in 1-3/4" up to 4'0" x 8'0"



Solid Mineral Core — Mineral Composite Frame 1-3/4" Door 45-, 60- and 90-Minute Fire ratings available



Solid Wood Stave Core — Wood Frame 1-3/8" Door 1-3/4" Door 20-Minute Fire rating available in 1-3/4" up to 4'0" x 8'0"



Hollow Core — Combination Wood/ MDF Frame 1-3/8" Door Corrugated honeycomb



The JELD-WEN® website is your ultimate resource for learning about our reliable windows and doors. It has all the product information and design advice you need. Visit us at **jeld-wen.com** today.



# THE JELD-WEN PROMISE

JELD-WEN products can create lasting value for your home. We are so confident that you will be pleased with our Molded and Flush Interior Doors, that each one carries our industry-leading warranty. For a complete copy of the current warranty, see your sales associate or refer to **www.jeld-wen.com**.







© 2023, JELD-WEN, inc.; Door designs and this publication are owned by JELD-WEN, inc. and are protected under the U.S. Copyright Act and other intellectual property laws. All trademarks, service marks, logos and the like (whether registered or unregistered) are owned or controlled by JELD-WEN, inc. or others. Unauthorized use or duplication of JELD-WEN intellectual property is prohibited. JELD-WEN reserves the right to change product specifications without notice. Please check our website, **jeld-wen.com**, for current information.

BSC-93314 04/23 (DV) 94408121